

Cervical afferents in migraine: orchestrating central sensitisation or innocent bystanders?

Reference list

Akerman S, Holland PR, Goadsby PJ. Diencephalic and brainstem mechanisms in migraine. *Nat Rev Neurosci.* Sep 20 2011;12(10):570-584

Akerman S, Romero-Reyes M. Insights into the pharmacological targeting of the trigeminocervical complex in the context of treatments of migraine. *Expert Rev Neurother.* Sep 2013;13(9):1041-1059

Antonaci F, Inan LE. Headache and neck. *Cephalalgia.* Apr 2021;41(4):438-442

Arendt-Nielsen L, Brennum J, Sindrup S, Bak P. Electrophysiological and psychophysical quantification of temporal summation in the human nociceptive system. *Eur J Appl Physiol Occup Physiol.* 1994;68(3):266-273

Arendt-Nielsen L, Graven-Nielsen T. Translational musculoskeletal pain research. *Best Pract Res Clin Rheumatol.* Apr 2011;25(2):209-226

Arendt-Nielsen L, Morlion B, Perrot S, et al. Assessment and manifestation of central sensitisation across different chronic pain conditions. *Eur J Pain.* Feb 2018;22(2):216-241

Bartsch T, Goadsby PJ. Increased responses in trigeminocervical nociceptive neurons to cervical input after stimulation of the dura mater. *Brain.* Aug 2003;126(Pt 8):1801-1813

Bartsch T, Goadsby PJ. The trigeminocervical complex and migraine: current concepts and synthesis. *Curr Pain Headache Rep.* Oct 2003;7(5):371-376

Bialosky JE, Bishop MD, Price DD, Robinson ME, George SZ. The mechanisms of manual therapy in the treatment of musculoskeletal pain: a comprehensive model. *Man Ther.* Oct 2009;14(5):531-538

Bialosky JE, George SZ, Horn ME, Price DD, Staud R, Robinson ME. Spinal manipulative therapy-specific changes in pain sensitivity in individuals with low back pain (NCT01168999). *J Pain.* Feb 2014;15(2):136-148

Bishop MD, Beneciuk JM, George SZ. Immediate reduction in temporal sensory summation after thoracic spinal manipulation. *Spine J.* May 2011;11(5):440-446

Bishop KL, Holm JE, Borowiak DM, Wilson BA. Perceptions of pain in women with headache: a laboratory investigation of the influence of pain-related anxiety and fear. *Headache.* May 2001;41(5):494-499

Bishop MD, Torres-Cueco R, Gay CW, Lluch-Girbés E, Beneciuk JM, Bialosky JE. What effect can manual therapy have on a patient's pain experience? *Pain Manag.* 2015;5(6):455-464

Bogduk N. On cervical zygapophysial joint pain after whiplash. *Spine (Phila Pa 1976).* Dec 1 2011;36(25 Suppl):S194-199

Bouhassira D, Gall O, Chitour D, Bars DL. Dorsal horn convergent neurones: negative feedback triggered by spatial summation of nociceptive afferents. *Pain.* Aug 1995;62(2):195-200

Brasil-Neto JP, Valls-Solé J, Pascual-Leone A, et al. Rapid modulation of human cortical motor outputs following ischaemic nerve block. *Brain*. Jun 1993;116 (Pt 3):511-525

Burstein R, Cutrer MF, Yarnitsky D. The development of cutaneous allodynia during a migraine attack clinical evidence for the sequential recruitment of spinal and supraspinal nociceptive neurons in migraine. *Brain*. Aug 2000b;123 (Pt 8):1703-1709

Burstein R, Yamamura H, Malick A, Strassman AM. Chemical stimulation of the intracranial dura induces enhanced responses to facial stimulation in brain stem trigeminal neurons. *J Neurophysiol*. Feb 1998;79(2):964-982

Burstein R, Yarnitsky D, Goor-Aryeh I, Ransil BJ, Bajwa ZH. An association between migraine and cutaneous allodynia. *Ann Neurol*. May 2000a;47(5):614-624

Busch V, Jakob W, Juergens T, Schulte-Mattler W, Kaube H, May A. Functional connectivity between trigeminal and occipital nerves revealed by occipital nerve blockade and nociceptive blink reflexes. *Cephalgia*. Jan 2006;26(1):50-55

Busch V, Jakob W, Juergens T, Schulte-Mattler W, Kaube H, May A. Occipital nerve blockade in chronic cluster headache patients and functional connectivity between trigeminal and occipital nerves. *Cephalgia*. Nov 2007;27(11):1206-1214

Byl NN, Merzenich MM, Cheung S, Bedenbaugh P, Nagarajan SS, Jenkins WM. A primate model for studying focal dystonia and repetitive strain injury: effects on the primary somatosensory cortex. *Phys Ther*. Mar 1997;77(3):269-284

Colloca L, Benedetti F. Placebos and painkillers: is mind as real as matter? *Nat Rev Neurosci*. Jul 2005;6(7):545-552

Coppola G, Di Clemente L, Fumal A, et al. Inhibition of the nociceptive R2 blink reflex after supraorbital or index finger stimulation is normal in migraine without aura between attacks. *Cephalgia*. Jul 2007;27(7):803-808

Coronado RA, Gay CW, Bialosky JE, Carnaby GD, Bishop MD, George SZ. Changes in pain sensitivity following spinal manipulation: a systematic review and meta-analysis. *J Electromyogr Kinesiol*. Oct 2012;22(5):752-767

Courtney CA, Witte PO, Chmell SJ, Hornby TG. Heightened flexor withdrawal response in individuals with knee osteoarthritis is modulated by joint compression and joint mobilization. *J Pain*. Feb 2010;11(2):179-185

Crosby ND, Gilliland TM, Winkelstein BA. Early afferent activity from the facet joint after painful trauma to its capsule potentiates neuronal excitability and glutamate signaling in the spinal cord. *Pain*. Sep 2014;155(9):1878-1887

Curatolo M, Bogduk N, Ivancic PC, McLean SA, Siegmund GP, Winkelstein BA. The role of tissue damage in whiplash-associated disorders: discussion paper 1. *Spine (Phila Pa 1976)*. Dec 1 2011;36(25 Suppl):S309-315

de Tommaso M, Ambrosini A, Brighina F, et al. Altered processing of sensory stimuli in patients with migraine. *Nat Rev Neurol*. Mar 2014;10(3):144-155

Di Clemente L, Coppola G, Magis D, Fumal A, De Pasqua V, Schoenen J. Nociceptive blink reflex and visual evoked potential habituations are correlated in migraine. Headache. Nov-Dec 2005;45(10):1388-1393

Dong L, Smith JR, Winkelstein BA. Ketorolac reduces spinal astrocytic activation and PAR1 expression associated with attenuation of pain after facet joint injury. J Neurotrauma. May 15 2013;30(10):818-825

Dong L, Winkelstein BA. Simulated whiplash modulates expression of the glutamatergic system in the spinal cord suggesting spinal plasticity is associated with painful dynamic cervical facet loading. J Neurotrauma. Jan 2010;27(1):163-174

Ebersberger A, Grubb BD, Willingale HL, Gardiner NJ, Nebe J, Schaible HG. The intraspinal release of prostaglandin E2 in a model of acute arthritis is accompanied by an up-regulation of cyclooxygenase-2 in the spinal cord. Neuroscience. 1999;93(2):775-781

Edmeads J. The cervical spine and headache. Neurology. Dec 1988;38(12):1874-1878

Elliott JM, Courtney DM, Rademaker A, Pinto D, Sterling MM, Parrish TB. The Rapid and Progressive Degeneration of the Cervical Multifidus in Whiplash: An MRI Study of Fatty Infiltration. Spine (Phila Pa 1976). Jun 15 2015;40(12):E694-700

Ellrich J, Makowska A. Nerve growth factor and ATP excite different neck muscle nociceptors in anaesthetized mice. Cephalgia. Nov 2007;27(11):1226-1235

Fernández-de-Las-Peñas C, Cook C, Cleland JA, Florencio LL. The cervical spine in tension type headache. Musculoskelet Sci Pract. Aug 2023;66:102780

Fernández-de-las-Peñas C, Madeleine P, Caminero AB, Cuadrado ML, Arendt-Nielsen L, Pareja JA. Generalized neck-shoulder hyperalgesia in chronic tension-type headache and unilateral migraine assessed by pressure pain sensitivity topographical maps of the trapezius muscle. Cephalgia. Jan 2010;30(1):77-86

Ferreira SH, Lorenzetti BB, Bristow AF, Poole S. Interleukin-1 beta as a potent hyperalgesic agent antagonized by a tripeptide analogue. Nature. Aug 25 1988;334(6184):698-700

Fiorentino PM, Tallents RH, Miller JN, et al. Spinal interleukin-1beta in a mouse model of arthritis and joint pain. Arthritis Rheum. Oct 2008;58(10):3100-3109

Flor H, Birbaumer N, Schulz R, Grusser SM, Mucha RF. Pavlovian conditioning of opioid and nonopioid pain inhibitory mechanisms in humans. Eur J Pain. 2002;6(5):395-402.

126. Flor H, Grusser SM. Conditioned stress-induced analgesia in humans. Eur J Pain. Dec 1999;3(4):317-324

Gay CW, Alappattu MJ, Coronado RA, Horn ME, Bishop MD. Effect of a single session of muscle-biased therapy on pain sensitivity: a systematic review and meta-analysis of randomized controlled trials. J Pain Res. 2013;6:7-22

George SZ, Bishop MD, Bialosky JE, Zeppieri G, Robinson ME. Immediate effects of spinal manipulation on thermal pain sensitivity: an experimental study. BMC Musculoskelet Disord. Aug 15 2006;7:68

Giffin NJ, Katsarava Z, Pfundstein A, Ellrich J, Kaube H. The effect of multiple stimuli on the modulation of the 'nociceptive' blink reflex. Pain. Mar 2004;108(1-2):124-128

Goadsby PJ. Migraine pathophysiology. Headache. Apr 2005;45 Suppl 1:S14-24

Goadsby PJ, Bartsch T. On the functional neuroanatomy of neck pain. Cephalgia. Jul 2008;28 Suppl 1:1-7

Goadsby PJ, Hoskin KL. Differential effects of low dose CP122,288 and eletriptan on fos expression due to stimulation of the superior sagittal sinus in cat. Pain. Jul 1999;82(1):15-22

Goadsby PJ, Knight Y. Inhibition of trigeminal neurones after intravenous administration of naratriptan through an action at 5-hydroxy-tryptamine (5-HT_{1B/1D}) receptors. Br J Pharmacol. Nov 1997;122(5):918-922

Goadsby PJ, Knight YE, Hoskin KL. Stimulation of the greater occipital nerve increases metabolic activity in the trigeminal nucleus caudalis and cervical dorsal horn of the cat. Pain. Oct 1997;73(1):23-28

Graven-Nielsen T, Mense S. The peripheral apparatus of muscle pain: evidence from animal and human studies. Clin J Pain. Mar 2001;17(1):2-10

Haavik-Taylor H, Murphy B. Cervical spine manipulation alters sensorimotor integration: a somatosensory evoked potential study. Clin Neurophysiol. Feb 2007;118(2):391-402

Hallett M, Chen R, Ziemann U, Cohen LG. Reorganization in motor cortex in amputees and in normal volunteers after ischemic limb deafferentation. Electroencephalogr Clin Neurophysiol Suppl. 1999;51:183-187

Hanten WP OS, Ludwig GM. Reliability of manual mobility testing of the upper cervical spine in subjects with cervicogenic headache. J Man Manip Ther. 2002(10):76-82

Headache Classification Committee of the International Headache Society (IHS) The International Classification of Headache Disorders, 3rd edition. Cephalgia. Jan 2018;38(1):1-211

Hoffman GA, Harrington A, Fields HL. Pain and the placebo: what we have learned. Perspect Biol Med. 2005;48(2):248-265

Hu JW, Tatourian I, Vernon H. Opioid involvement in electromyographic (EMG) responses induced by injection of inflammatory irritant into deep neck tissues. Somatosens Mot Res. 1996;13(2):139-146

Hu JW, Yu XM, Vernon H, Sessle BJ. Excitatory effects on neck and jaw muscle activity of inflammatory irritant applied to cervical paraspinal tissues. Pain. Nov 1993;55(2):243-250

Humphreys BK, Delahaye M, Peterson CK. An investigation into the validity of cervical spine motion palpation using subjects with congenital block vertebrae as a 'gold standard'. BMC Musculoskelet Disord. Jun 15 2004;5:19

Inami S, Shiga T, Tsujino A, Yabuki T, Okado N, Ochiai N. Immunohistochemical demonstration of nerve fibers in the synovial fold of the human cervical facet joint. *J Orthop Res*. Jul 2001;19(4):593-596

Jull G, Bogduk N, Marsland A. The accuracy of manual diagnosis for cervical zygapophysial joint pain syndromes. *Med J Aust*. Mar 07 1988;148(5):233-236

Jull G, Zito G, Trott P, Potter H, Shirley D. Inter-examiner reliability to detect painful upper cervical joint dysfunction. *Aust J Physiother*. 1997;43(2):125-129

Katsarava Z, Ellrich J, Diener HC, Kaube H. Optimized stimulation and recording parameters of human 'nociception specific' blink reflex recordings. *Clin Neurophysiol*. Dec 2002a;113(12):1932-1936

Katsarava Z, Giffin N, Diener HC, Kaube H. Abnormal habituation of 'nociceptive' blink reflex in migraine--evidence for increased excitability of trigeminal nociception. *Cephalgia*. Oct 2003;23(8):814-819

Katsarava Z, Lehnerdt G, Duda B, Ellrich J, Diener HC, Kaube H. Sensitization of trigeminal nociception specific for migraine but not pain of sinusitis. *Neurology*. Nov 12 2002b;59(9):1450-1453

Kras JV, Dong L, Winkelstein BA. The prostaglandin E2 receptor, EP2, is upregulated in the dorsal root ganglion after painful cervical facet joint injury in the rat. *Spine (Phila Pa 1976)*. Feb 1 2013;38(3):217-222

Kras JV, Dong L, Winkelstein BA. Increased interleukin-1alpha and prostaglandin E2 expression in the spinal cord at 1 day after painful facet joint injury: evidence of early spinal inflammation. *Spine (Phila Pa 1976)*. Feb 1 2014;39(3):207-212

Kaube H, Hoskin KL, Goadsby PJ. Inhibition by sumatriptan of central trigeminal neurones only after blood-brain barrier disruption. *Br J Pharmacol*. Jul 1993;109(3):788-792

Kaube H, Katsarava Z, Kaufer T, Diener H, Ellrich J. A new method to increase nociception specificity of the human blink reflex. *Clin Neurophysiol*. Mar 2000;111(3):413-416

Kaube H, Katsarava Z, Przywara S, Drepper J, Ellrich J, Diener HC. Acute migraine headache: possible sensitization of neurons in the spinal trigeminal nucleus? *Neurology*. Apr 23 2002;58(8):1234-1238

Koyama T, McHaffie JG, Laurienti PJ, Coghill RC. The subjective experience of pain: where expectations become reality. *Proc Natl Acad Sci U S A*. Sep 06 2005;102(36):12950-12955

Lambert GA. The lack of peripheral pathology in migraine headache. *Headache*. May 2010;50(5):895-908.

La Touche R, Fernández-de-las-Peñas C, Fernández-Carnero J, et al. The effects of manual therapy and exercise directed at the cervical spine on pain and pressure pain sensitivity in patients with myofascial temporomandibular disorders. *J Oral Rehabil*. Sep 2009;36(9):644-652

Le Doare K, Akerman S, Holland PR, et al. Occipital afferent activation of second order neurons in the trigeminocervical complex in rat. *Neurosci Lett*. Jul 31 2006;403(1-2):73-77

Lee KE, Davis MB, Mejilla RM, Winkelstein BA. In vivo cervical facet capsule distraction: mechanical implications for whiplash and neck pain. *Stapp Car Crash J.* Nov 2004;48:373-395.

Lee KE, Davis MB, Winkelstein BA. Capsular ligament involvement in the development of mechanical hyperalgesia after facet joint loading: behavioral and inflammatory outcomes in a rodent model of pain. *J Neurotrauma.* Nov 2008;25(11):1383-1393

Lee KE, Thinnnes JH, Gokhin DS, Winkelstein BA. A novel rodent neck pain model of facet-mediated behavioral hypersensitivity: implications for persistent pain and whiplash injury. *J Neurosci Methods.* Aug 30 2004;137(2):151-159

Lee KE, Winkelstein BA. Joint distraction magnitude is associated with different behavioral outcomes and substance P levels for cervical facet joint loading in the rat. *J Pain.* Apr 2009;10(4):436-445

Lewis JW, Cannon JT, Liebeskind JC. Opioid and nonopioid mechanisms of stress analgesia. *Science.* May 9 1980;208(4444):623-625

Makowska A, Panfil C, Ellrich J. Long-term potentiation of orofacial sensorimotor processing by noxious input from the semispinal neck muscle in mice. *Cephalgia.* Feb 2005;25(2):109-116

Maitland GD HE, Banks K, English K. . Maitland's Vertebral Manipulation. 7th ed. Edinburgh: Elsevier Health Sciences; 2005

Makowska A, Panfil C, Ellrich J. ATP induces sustained facilitation of craniofacial nociception through P2X receptors on neck muscle nociceptors in mice. *Cephalgia.* Jun 2006;26(6):697-706

Malisza KL, Stroman PW, Turner A, Gregorash L, Foniok T, Wright A. Functional MRI of the rat lumbar spinal cord involving painful stimulation and the effect of peripheral joint mobilization. *J Magn Reson Imaging.* Aug 2003;18(2):152-159

Mansilla-Ferragut P, Fernández-de-Las Peñas C, Alburquerque-Sendín F, Cleland JA, Boscá-Gandía JJ. Immediate effects of atlanto-occipital joint manipulation on active mouth opening and pressure pain sensitivity in women with mechanical neck pain. *J Manipulative Physiol Ther.* Feb 2009;32(2):101-106

Martenson ME, Cetas JS, Heinricher MM. A possible neural basis for stress-induced hyperalgesia. *Pain.* Apr 2009;142(3):236-244

McCracken LM, Turk DC. Behavioral and cognitive-behavioral treatment for chronic pain: outcome, predictors of outcome, and treatment process. *Spine (Phila Pa 1976).* Nov 15 2002;27(22):2564-2573

McMahon SB, Lewin GR, Wall PD. Central hyperexcitability triggered by noxious inputs. *Curr Opin Neurobiol.* Aug 1993;3(4):602-610

Mogil JS. Animal models of pain: progress and challenges. *Nat Rev Neurosci.* Apr 2009;10(4):283-294

Mohammadian P, Gonsalves A, Tsai C, Hummel T, Carpenter T. Areas of capsaicin-induced secondary hyperalgesia and allodynia are reduced by a single chiropractic adjustment: a preliminary study. *J Manipulative Physiol Ther.* 2004;27(6):381-387

Noseda R, Burstein R. Migraine pathophysiology: anatomy of the trigeminovascular pathway and associated neurological symptoms, CSD, sensitization and modulation of pain. *Pain*. Dec 2013;154 Suppl 1

O'Byrne EM, Blancuzzi V, Wilson DE, Wong M, Jeng AY. Elevated substance P and accelerated cartilage degradation in rabbit knees injected with interleukin-1 and tumor necrosis factor. *Arthritis Rheum*. Jul 1990;33(7):1023-1028

Ohtori S, Takahashi K, Chiba T, Yamagata M, Sameda H, Moriya H. Sensory innervation of the cervical facet joints in rats. *Spine (Phila Pa 1976)*. Jan 15 2001;26(2):147-150

Olesen J, Burstein R, Ashina M, Tfelt-Hansen P. Origin of pain in migraine: evidence for peripheral sensitisation. *Lancet Neurol*. Jul 2009;8(7):679-690

Ossipov MH, Dussor GO, Porreca F. Central modulation of pain. *J Clin Invest*. Nov 2010;120(11):3779-3787

Pascual-Leone A, Torres F. Plasticity of the sensorimotor cortex representation of the reading finger in Braille readers. *Brain*. Feb 1993;116 (Pt 1):39-52

Price DD, Milling LS, Kirsch I, Duff A, Montgomery GH, Nicholls SS. An analysis of factors that contribute to the magnitude of placebo analgesia in an experimental paradigm. *Pain*. Nov 1999;83(2):147-156

Quevedo AS, Coghill RC. Attentional modulation of spatial integration of pain: evidence for dynamic spatial tuning. *J Neurosci*. Oct 24 2007;27(43):11635-11640

Quinn KP WB. Altered collagen fiber kinematics define the onset of localized ligament damage during loading. *J Appl Physiol* (1985). 2008;105(6):1881-1888

Quinn KP, Bauman JA, Crosby ND, Winkelstein BA. Anomalous fiber realignment during tensile loading of the rat facet capsular ligament identifies mechanically induced damage and physiological dysfunction. *J Biomech*. Jul 20 2010;43(10):1870-1875

Quinn JH, Bazan NG. Identification of prostaglandin E2 and leukotriene B4 in the synovial fluid of painful, dysfunctional temporomandibular joints. *J Oral Maxillofac Surg*. Sep 1990;48(9):968-971

Quinn KP, Dong L, Golder FJ, Winkelstein BA. Neuronal hyperexcitability in the dorsal horn after painful facet joint injury. *Pain*. Nov 2010;151(2):414-421

Quinn KP, Winkelstein BA. Cervical facet capsular ligament yield defines the threshold for injury and persistent joint-mediated neck pain. *J Biomech*. 2007;40(10):2299-2306

Reitz M, Makowska A, Ellrich J. Excitatory and inhibitory purinergic control of neck muscle nociception in anaesthetized mice. *Cephalgia*. Jan 2009;29(1):58-67

Rhudyl JL, Grimes JS, Meagher MW. Fear-induced hypoalgesia in humans: effects on low intensity thermal stimulation and finger temperature. *J Pain*. Oct 2004;5(8):458-468

Rhudyl JL, Meagher MW. Fear and anxiety: divergent effects on human pain thresholds. *Pain*. Jan 2000;84(1):65-75

Rhudy JL, Meagher MW. Noise stress and human pain thresholds: divergent effects in men and women. *J Pain*. Feb 2001;2(1):57-64

Rhudy JL, Meagher MW. Negative affect: effects on an evaluative measure of human pain. *Pain*. Aug 2003;104(3):617-626

Roch M, Messlinger K, Kulchitsky V, Tichonovich O, Azev O, Koulchitsky S. Ongoing activity in trigeminal wide-dynamic range neurons is driven from the periphery. *Neuroscience*. Dec 12 2007;150(3):681-691

Sandrini G, Proietti Cecchini A, Milanov I, Tassorelli C, Buzzi MG, Nappi G. Electrophysiological evidence for trigeminal neuron sensitization in patients with migraine. *Neurosci Lett*. Jan 14 2002;317(3):135-138

Sandrini G, Rossi P, Milanov I, Serrao M, Cecchini AP, Nappi G. Abnormal modulatory influence of diffuse noxious inhibitory controls in migraine and chronic tension-type headache patients. *Cephalgia*. Jul 2006;26(7):782-789

Serrao M, Perrotta A, Bartolo M, et al. Enhanced trigemino-cervical-spinal reflex recovery cycle in pain-free migraineurs. *Headache*. Sep 2005;45(8):1061-1068

Sessle BJ. Acute and chronic craniofacial pain: brainstem mechanisms of nociceptive transmission and neuroplasticity, and their clinical correlates. *Crit Rev Oral Biol Med*. 2000;11(1):57-91

Sjaastad O, Fredriksen TA, Pfaffenrath V. Cervicogenic headache: diagnostic criteria. The Cervicogenic Headache International Study Group. *Headache*. Jun 1998;38(6):442-445

Spekker E, Laborc KF, Bohár Z, et al. Effect of dural inflammatory soup application on activation and sensitization markers in the caudal trigeminal nucleus of the rat and the modulatory effects of sumatriptan and kynurenic acid. *J Headache Pain*. Mar 31 2021;22(1):17

Suzuki K, Suzuki S, Shiina T, Kobayashi S, Hirata K. Central Sensitization in Migraine: A Narrative Review. *J Pain Res*. 2022;15:2673-2682

Teepker M, Kunz M, Peters M, Kundermann B, Schepelmann K, Lautenbacher S. Endogenous pain inhibition during menstrual cycle in migraine. *Eur J Pain*. Aug 2014;18(7):989-998

Vernon H, Sun K, Zhang Y, Yu XM, Sessle BJ. Central sensitization induced in trigeminal and upper cervical dorsal horn neurons by noxious stimulation of deep cervical paraspinal tissues in rats with minimal surgical trauma. *J Manipulative Physiol Ther*. Sep 2009;32(7):506-514

Vicenzino B, Paungmali A, Buratowski S, Wright A. Specific manipulative therapy treatment for chronic lateral epicondylalgia produces uniquely characteristic hypoalgesia. *Man Ther*. Nov 2001;6(4):205-212

Villanueva L, Cadden SW, Le Bars D. Diffuse noxious inhibitory controls (DNIC): evidence for post-synaptic inhibition of trigeminal nucleus caudalis convergent neurones. *Brain Res*. Oct 29 1984;321(1):165-168

Voudouris NJ, Peck CL, Coleman G. The role of conditioning and verbal expectancy in the placebo response. *Pain*. Oct 1990;43(1):121-128

Watkins LR, Mayer DJ. Organization of endogenous opiate and nonopiate pain control systems. *Science*. Jun 11 1982;216(4551):1185-1192

Watson DH, Drummond PD. Head pain referral during examination of the neck in migraine and tension-type headache. *Headache*. Sep 2012;52(8):1226-1235

Watson DH, Drummond PD. Cervical referral of head pain in migraineurs: effects on the nociceptive blink reflex. *Headache*. Jun 2014;54(6):1035-1045

Watson DH, Trott PH. Cervical headache: an investigation of natural head posture and upper cervical flexor muscle performance. *Cephalgia*. Aug 1993;13(4):272-284; discussion 232

Westerhuis P. Cervical Spine Assessment in Patients with Headache. In: Fernandez de Las Penas C, Arendt-Nielsen L, Gerwin RD, ed. *Tension-Type and Cervicogenic Headache*. Sudbury, Massachusetts: Jones and Bartlett Publishers; 2010

Willer JC, Dehen H, Cambier J. Stress-induced analgesia in humans: endogenous opioids and naloxone-reversible depression of pain reflexes. *Science*. May 8 1981;212(4495):689-691

Winkelstein BA, Santos DG. An intact facet capsular ligament modulates behavioral sensitivity and spinal glial activation produced by cervical facet joint tension. *Spine (Phila Pa 1976)*. Apr 15 2008;33(8):856-862

Woolf CJ. Central sensitization: implications for the diagnosis and treatment of pain. *Pain*. Mar 2011;152(3 Suppl):S2-15

Woolf CJ. Evidence for a central component of post-injury pain hypersensitivity. *Nature*. Dec 15-21 1983;306(5944):686-688

Woolf CJ, Salter MW. Neuronal plasticity: increasing the gain in pain. *Science*. Jun 9 2000;288(5472):1765-1769

Yamashita T, Cavanaugh JM, el-Bohy AA, Getchell TV, King AI. Mechanosensitive afferent units in the lumbar facet joint. *J Bone Joint Surg Am*. Jul 1990;72(6):865-870

Yamashita T, Cavanaugh JM, Ozaktay AC, Avramov AI, Getchell TV, King AI. Effect of substance P on mechanosensitive units of tissues around and in the lumbar facet joint. *J Orthop Res*. Mar 1993;11(2):205-214